

aurecon



Waste Flow Table

The copyright of this document is owned by Acuity Sustainability Consulting Limited. It may not be reproduced except with prior written approval from the Company.



Appendix H – Waste Flow Table

Month	Actual Quantities of Inert C&D Materials Generated Monthly						Actual Quantities of Non-C&D Wastes Generated Monthly				
	Total Quantity Generated	Hard Rock and Large Broken Concrete	Reused in the Contract	Reused in other Project	Disposed as Public Fill	Imported Fill	Metals	Paper / Cardboard packaging	Plastics	Chemical Waste	Other, e.g., general refuse
	(in '000m ³)	(in '000m ³)	(in '000m ³)	(in '000m ³)	(in '000m ³)	(in '000m ³)	(in'000kg)	(in'000kg)	(in'000kg)	(in'000kg)	(in '000m ³)
Jan 2023	0.542	0.015	0.122		0.420	0.389		0.052			0.002
Feb 2023	1.213	0.076	0.206		1.007	1.044		0.055			0.000
Mar 2023	1.093	0.045	0.188		0.905	1.382		0.059			0.005
Apr 2023	1.484	0.000	0.363		1.121	1.796		0.056			0.001
May 2023	1.819	0.022	0.386		1.433	0.934		0.051			0.006
Jun 2023											
Sub-total	6.151	0.158	1.265	0.000	4.886	5.545	0.000	0.273	0.000	0.000	0.014
Jul 2023											
Aug 2023											
Sep 2023											
Oct 2023											
Nov 2023											
Dec 2023											
Total	6.151	0.158	1.265	0.000	4.886	5.545	0.000	0.273	0.000	0.000	0.014

Notes:

1) Total quantity Generated only refers to the actual Quantitates of inert C&D materials generated monthly excluding those that will be recycled (Hard rock & large broken concrete, reused in contract and reused in another contract). Imported fill will not be included in total quantity generated as those C&D materials are not generated from this project.

2) The waste flow table shall also include C&D materials that are specified in the Contract to be imported for use at the Site.

3) Plastics refer to plastic bottles/containers, plastic sheets/foam from packaging materials.

The copyright of this document is owned by Acuity Sustainability Consulting Limited. It may not be reproduced except with prior written approval from the Company.