

Appendix G

Noise Monitoring Data

Table G 1 Summary of Noise Monitoring Result

Date	Time	Weather	Leq-5min, dB(A)						Leq-30min, dB(A)	L10-30mins, dB(A)	L90-30mins dB(A)	Limit Level, dB(A)*	Noise Meter
			Reading (1)	Reading (2)	Reading (3)	Reading (4)	Reading (5)	Reading (6)					
08/07/2023	10:30 - 11:00	Sunny	64.1	63.8	63.5	63.1	64.5	64.0	63.9	67.7	59.0	70.0	Lutron, SL-4033SD
14/07/2023	10:55 - 11:25	Sunny	63.2	60.4	61.5	62.7	61.8	61.1	61.9	64.0	59.9	70.0	Lutron, SL-4033SD
20/07/2023	10:27 - 10:57	Cloudy	62.8	62.8	64.7	63.5	63.8	62.9	63.5	67.4	59.1	70.0	Lutron, SL-4033SD
26/07/2023	10:41 - 11:11	Fine	64.8	65.2	64.1	64.4	63.2	65.5	64.6	67.5	58.8	70.0	Lutron, SL-4033SD

Remarks:

*No examinations were scheduled for NSR4 Creative Secondary School in the reporting month.